

EXIT TERMINAL QPM-200



The Exit terminal is highly qualified product with innovative shape and design. The perfect combination of features and functions of the system provides efficient and convenient parking. QPM-200 insures convenience with simple and intuitive interface. The best solution for the management and control of regulated parking in urban areas. The Qntra Park Exit terminal is innovation, quality, with sense for the future. QPM-200 constitutes the essence of our knowledge of parking technology.



*picture may vary from actual product

APPLICATIONS:

- Indoors and Outdoors parking
- Trade centers
- Banks
- Hotels
- Airports
- Residential buildings
- Administrative and business buildings

ADVANTAGES:

- High product quality
- High efficiency
- Innovative equipment
- Easy to install and operate
- Latest-generation electronics
- Efficient mechanism
- High rigidity design
- Cost-effective product
- Worldwide industry standard

BENEFITS:

- Minimum maintenance costs
- Minimum staff requirement
- Competitive price with good quality
- Quick return on investment
- Provides quick access to car park
- Improves the exit process and security
- Improves traffic flow
- Robust design that require minimal maintenance


Parking with Qntra Park is easy and convenient. Our automated parking system is one reasonable investment that guarantees a reliable and practical service. Our parking solutions are ideal not only for one or two cars but also for several hundred.

FUNCTIONS AND FEATURES:

- Ticket scanning after an automobile appear in front of the exit terminal
- High-speed imaging device for scanning tickets in all directions
- Container for 5000 used tickets
- LCD screen panel
- Alarming when reaching a minimum amount of tickets in the container
- Inductive detector 1 CH
- Integrated RFID card reader
- Function for remote emergency opening of the barriers and displaying of a warning text on the display
- LED orientation lights

ADDITIONAL OPTIONS:

- Professional IP intercom system with option to connect to monitoring center
- Heating with fan and thermostat 200 W
- Different colors of the front panel



TECHNICAL SPECIFICATIONS:

Display:	LCD display for visualizations of the information 480 x 272 DOT
Communication:	TCP/IP interface
Outputs:	4 relay outputs with NO/COM/NC possibility of communication of 24VDC-2A, 120-230VAC1A for barrier, external devices management
Power consumption:	maximum 80 W; heating fan and thermostat (optional) - 200 W
Voltage/ Frequency:	230VAC 50HZ
Operating temperature:	-10°C to +50°C
Operating temperature:	with additional heater -25°C
Color of the base:	RAL 7016
Color of the front panel:	RAL 2000
Dimensions:	350/350/1250
Weight:	46 kg.

The system has CE certification since 2014

OTHER COMPONENTS OF AUTOMATED PARKING SYSTEM:



ENTRANCE TERMINAL
QPM-100



AUTOMATED PAYMENT TERMINAL
QPM-1000 PS



MANAGEMENT SOFTWARE
QPS PARK



VALIDATION TERMINAL